



Woodytrex-De Luxe alu



EN 14975



PROFESSIONAL



Relax. It's an Altrex.

Altrex B.V.

Mindenstraat 7
8028 PK Zwolle
P.O. Box 30160
8003 CD Zwolle
The Netherlands

General

T +31 (0)38 4557700
F +31 (0)38 4557711
E info@altrex.com

Sales


T +31 (0)38 4557733
F +31 (0)38 4557744
E sales@altrex.com

Product advantages Woodytrex-De Luxe alu

This product has a number of unique characteristics



Coated hinges and anodised beams



Equipped with a 46 mm thick insulated trapdoor for savings on heating costs. Finished with white panelling on both sides.



The springs of the swivel arms are fitted on the inside of the steps



Standard delivered with safety guardrail, polyester feet and finishing strip



No larger than trapdoor when folded up



Large robust feet for extra stability

Relax. It's an Altrex.

Altrex B.V.

Mindenstraat 7
8028 PK Zwolle
P.O. Box 30160
8003 CD Zwolle
The Netherlands

General

T +31 (0)38 4557700
F +31 (0)38 4557711
E info@altrex.com

Sales

T +31 (0)38 4557733
F +31 (0)38 4557744
E sales@altrex.com



Performances / Article table

Aluminium loft ladder

Art. No.	Opening size (l x w) (cm)	Opening height (cm)	Max. ceiling height (m)	Max. ladder base (m)	Turning circle (m)
504520	112 x 60	17	2.8	0	1.55
504522	120 x 70	17	2.8	0	1.55

Relax. It's an Altrex.

Altrex B.V.

Mindenstraat 7
8028 PK Zwolle
P.O. Box 30160
8003 CD Zwolle
The Netherlands

General

T +31 (0)38 4557700
F +31 (0)38 4557711
E info@altrex.com

Sales

T +31 (0)38 4557733
F +31 (0)38 4557744
E sales@altrex.com